



JX FILTRATION

Product Quality and Reputation is our first principle.

www.jxfiltration.com

Company Profile



Our Company

We specialize in designing, manufacturing, and selling various filtration equipment and providing comprehensive water treatment solutions to our clients.



Our Team

We have more than 10 professional engineers and 80 experienced workers and domestic distributors throughout 34 districts in China.



Our Products

Wedge Wire Screen, Bag Filter Housing, Self Cleaning Filter, Automatic Backwash Filter, Rotary Drum Filter, Screw Press, etc.



Our Customers

US, Canada, Indonesia, Malaysia, Thailand, Spain, Portugal, Italy, Norway, South Africa, Argentina, Chile, Ecuador, Russia, Nepal, etc.

Our Valued Customers



PT. PELITA CENGKARENG PAPER



NISSAN
MOTOR CORPORATION



BOXMARK®
Best in Leather Interior



CENTURY PAPER & BOARD MILLS LIMITED



الخليج للسكر
AL KHALEEJ SUGAR



الشركة السعودية للجيلاتين والكبسولات
Saudi Gelatin and Capsules Co

Your trust is priceless!

Self-cleaning Filter

Self-cleaning Filter

Automatic Brush self-cleaning filter

Automatic Scraper self-cleaning filter

Automatic Backwash filter

Slot Size: 10 microns - 5000 microns

Treatment Capacity: up to 8000m³ / h

Application: For water purification purposes, it can be used for water filtration, water treatment and water transformation in various industries such as industrial, agriculture, food, printing and dyeing, papermaking, etc.



The advertisement features the JX FILTRATION logo at the top left. Below it, the text 'Self-cleaning Filter' is prominently displayed. To the right, there is a detailed image of three industrial self-cleaning filters, which are cylindrical stainless steel vessels with various ports, valves, and a blue motor on top. Below the main title, the text 'Best Factory, Best Product.' is followed by a green 'Contact Now' button. To the right of the button are four certification logos: SGS, TÜV, ISO 9001 BUREAU VERITAS, and another circular seal.

Note: dimensions, construction material, structure can all be customized.

Your trust is priceless!

Details of Finished Product

Brush type



Scraper type



Your trust is priceless!

Details of Finished Product

Electric



Hydraulic



Pneumatic



Your trust is priceless!

Details of Finished Product: Backwash Filter

Backwash Filter



Filter Element



Your trust is priceless!

Details of Finished Product: Self Cleaning Filter

Filter element



Scraper




Brush




Your trust is priceless!

Details of Finished Product

Control Cabinet: Schneider/Siemens



Nord Motor



Siti Motor



Your trust is priceless!

Raw Material Test

Material Certificate

 振石集团东方特钢有限公司 ZHENSHI GROUP EASTERN SPECIAL STEEL CO., LTD.		产品质量证明书 INSPECTION CERTIFICATE		公司地址: 浙江省嘉兴市南湖区新丰镇经济开发区 ECONOMIC DEVELOPMENT ZONE, XINFENG COUNTRY, NANHU DISTRICT, JIANGNING CITY 314005, ZHEJIANG PROVINCE 电话 TEL: +86-573-83988281 传真 FAX: +86-573-83988198											
订货单位 CUSTOMER		产品名称 PRODUCT 热轧不锈钢带 HOT ROLL STAINLESS STEEL COILS		证书号 CERTIFICATE NO. 180304064											
收货单位 PURCHASER		合同号 CONTRACT NO. BSS(XS)/XS-PC230180420-406		交货日期 DATE OF DELIVERY 2018年5月3日											
牌号 GRADE 316L		订单号 ORDER NO.		签发日期 DATE OF ISSUE 2018年5月4日											
标准 SPECIFICATION ASTM A240M-16		交货状态 SOLUTION TREATED AND PICKLING		ISO9001证书号 CERTIFICATE NUMBER 1809001 CN10/21015											
序号 COIL/PLATE NO.	钢卷/板号 HEAT NO.	规格及重量 MATERIAL DESCRIPTION 厚度 THICK 宽度 WIDTH 长度 LENGTH 件数 NUMBER 重量 WEIGHT mm mm mm 件 kg			化学成分 (熔体分析) % CHEMICAL COMPOSITION (HEAT ANALYSIS) % C Si Mn P S Cr Ti Ni Mo N										
1	218112480300	3.00	1525	C	1	26795	0.015	0.44	1.15	0.027	0.003	16.03	10.06	2.05	0.047
2	218114452100A	3.00	1525	C	1	12830	0.020	0.48	1.16	0.027	0.003	16.59	10.03	2.04	0.050
3	218114860400E	3.00	1525	C	1	30690	0.024	0.34	1.20	0.020	0.005	16.65	10.09	2.03	0.037
4															
5															
合计 (TOTAL)					3	60315									
序号 COIL/PLATE NO.	钢卷/板号 HEAT NO.	拉伸试验 TENSILE TEST 抗拉强度 (T.S.) 屈服强度 (Y.S.) 断后伸长率 (EL.) Rm Rp0.2 A50 % 1 2		硬度 HARDNESS HBW 1 2		弯曲试验 BEND 方向 角度 温度 吸收能量 (J) DIR. W. TEM. KV L ₀ /TR mm °C 1 2 3		晶间腐蚀 INTERGRANULAR CORROSION TEST							
1	218112480300	555	280	67	85	85									
2	218114452100A	589	257	71	80	80									
3	218114860400E	612	375	57	82	81									
4															
5															
备注 REMARKS		1. 本产品已通过ISO9001质量管理体系认证 (THE PRODUCTS HAVE PASSED THE ISO9001 QUALITY CERTIFICATION LICENSE.) 2. 请保证以上所有内容的真实性准确 (WE HEREBY CERTIFY THE ABOVE STATEMENT TO BE TRUE AND CORRECT IN EVERY DETAIL.) 3. 热处理 (HEAT TREATMENT): SOLUTION 1050-1100°C QUENCHING IN WATER 4. The material is free from Radioactive Contamination.													
注释 NOTES		TR: (Transverse) 横向; L: (Longitudinal) 纵向; DIR: (Direction) 方向; W: (Width) 宽度; TEM: (temperature) 温度; EL: (Elongation) 断后伸长率; Y.S.: (Yield Strength) 屈服强度; T.S.: (Tensile Strength) 抗拉强度; A.E.: 吸收能量; AVE.: 平均值													



公司印章
Company Seal

质量负责人
QUALITY MANAGER
赵峰

Inspection by spectrometer



Your trust is priceless!

Quality inspection

JX FILTRATION

JX FILTRATION(CHINA)CO.,LTD

Quality Certificate

No.: 43870061

Name	Automatic Scraper Filter	Model	JXS2-219
Qty	1 unit	Production date	2021-06-08
Testing items	Testing content	Testing standard	Result
Welding	Weld appearance quality inspection	GB150-1998	Qualified
Material	Steel [Appearance, chemical analysis, mechanical properties]	GB/T14976-94	Qualified
	Steel [Appearance, chemical analysis, mechanical properties]	GB12220-92	Qualified
	Casting [Appearance, chemical analysis]	GB12230-89	Qualified
Pressure test	Inner cylinder: 1.0MPa water pressure test, hold the pressure for 30 minutes.	GB150-1998	Qualified
Geometric dimensioning	Geometric dimensioning of housing	Made as per drawing	Qualified
	Connection location and size	Made as per drawing	Qualified
Appearance	Quality of sealing surface	Made as per drawing	Qualified
	Surface treatment of Housing	Made as per drawing	Qualified
Other	Logo & packing		Qualified
	Technical documents		Intact

Test result:

Conformance to Requirements

Inspector: [Signature]

Auditor: [Signature]

Date: 2021-6-8



JX FILTRATION

JX FILTRATION(CHINA)CO.,LTD



Pressure Test Report

Water pressure Air pressure Gas-tightness

Production code: JXBF202006

NO.: 43870061

Pressure Test Area	Whole Filter	Testing Date	2020-3-19	Technological process card number	08
Accuracy class of pressure gage	1.5	Mpa	0~1.6 Mpa	Testing date	2021.01
Pressure gage number	0304531	Gage diameter of pressure gage(mm)	Φ60	Test fluid	Water
Chloride ion content (mg/L)	≤25	Ambient temperature (°C)	Normal temperature	Fluid temperature (°C)	Normal temperature



Result:

After the filter is tested with 1.25MPa water pressure, there is no leakage; no visible abnormal deformation; no abnormal sound; the test is qualified.

Inspector: [Signature]

Auditor: [Signature]

Date: 2021-6-9



Your trust is priceless!

Our Services

Professional Pre-sale Service

1. Filtration method and equipment recommendation.
2. Free CAD or 3D drawing.
3. Equipment can be customized.

Complete Service During Sales

1. On-time delivery.
2. Equipment inspection by photo or video.
3. Secure and standard package.

After-Sale Service

1. Installation assistance by a phone call or video.
2. Free accessories for maintenance.
3. Engineer sent to solve the onsite problem.

Your trust is priceless!