

JX FILTRATION

Product Quality and Reputation is our first principle.

www.jxfiltration.com



Company Profile



Our Company

We specialize in designing, manufacturing, and selling various filtration equipment and providing comprehensive water treatment solutions to our clients.



Our Team

We have more than 10 professional engineers and 80 experienced workers and domestic distributors throughout 34 districts in China.



Our Customers

US, Canada, Indonesia, Malaysia, Thailand, Spain, Portugal, Italy, Norway, South Africa, Argentina, Chile, Ecuador, Russia, Nepal, etc.



Our Products

Wedge Wire Screen, Bag Filter Housing, Self Cleaning Filter, Automatic Backwash Filter, Rotary Drum Filter, Screw Press, etc.

Our Valued Customers































Dissolved Air Flotation Machine

Dissolved Air Flotation Machine

Advection Air Flotation Machine Shallow Air Flotation Machine

Treatment Capacity: Max. 200m3 / h **Application:** Industrial wastewater, fat, oil & grease separation, secondary clarifier, concentration of activated sludge.




Note: dimensions, construction material, structure can all be customrized.

Details of Finished Product: Advection Air Flotation Machine





Working Process: Dissolved Air Flotation Machine




Details of Finished Product: Shallow Air Flotation Machine





Details of Finished Product: Shallow Air Flotation Machine





Supporting Equipment: Dosing Device





Raw Material Test

Material Certificate

振石集团东方特钢有限公司
ZHENSHI GROUP EASTERN
SPECIAL STEEL CO., LTD

产品质量证明书

公司地址:浙江省嘉兴市南湖区新丰镇经济开发区 ECONOMIC DEVELOPMENT ZONE, XINFENG COUNTRY, NANHU

INSPECTION CERTIFICATE DISTRICT, JIAXING CITY 314005, ZHEJJANG PROVINCE.


	订货单位 CUSTOMER							产品名称 PRODUCT			热轧不锈钢带 HOT ROLLED STAINLESS STEEL COILS			839882 CE	证书号 CERTIFICATE NO.			180304064		
	收货单位 PURCHASER							合同号 CONTRACT NO.			ESS (XS)	/XS-PCZ20 406	180420	交货日期 DATE OF DELIVERY 签发日期 DATE OF ISSUE			2018年5月3日 2018年5月4日			
	課 号 GRADE		316L						订单号 ORDER NO			2,500								
标准 SPECIFICATION		ASTM A240M-16						交货状态 SOLUTION TREATED AND PICKLING				NO. 1		ISO9001 if: 书号 ISO9001 CERTIFICATE NUMBER			CN10/21015			
序号	钢卷/板号	から 規格及重量 MATERIAL DESCRIPTION						化学成分(熔炼分析)/% CHEMICAL COMPOSITION (HEAT ANALYSIS							/%					
	COIL/PLATE NO.	HEAT NO.	厚度 THICK	定度 WIDTH	长度 LENGTH	件数 NUMBER	重量 WEIGHT	c	Si	Mn	P	S	Cr	Ti	Ni	Мо	N			
				886		件	kg													
1	218112480300	1811248	3.00	1525	C	1	26795	0.015	0.44	1.15	0.027	0.003	16.03		10.06	2, 05	0,047			
2	218114452100A	1811445	4.00	1525	C	1	12830	0.020	0, 48	1, 16	0.027	0.003	16, 59		10.03	2. 04	0,050			
3	218114860400E	1811486	5 00	1525	С	1	20690	0.024	0.54	1.20	0.020	0, 005	16, 65		10.09	2.03	0.037			
4										29			500500.0000		33000000					
5									# 10											
	合计(TOTAL)			-		3	60315		100											
	网络/板号 COIL/PLATE NO.	拉伸试验TENSILE TEST · 硬度				弯曲 试验	ISO-V冲击试验 IMPACT TEST						晶间腐蚀			13	SE			
序号		抗拉强度 (T.S.)	屈服强度 (Y. S.)	断后伸长 率(EL.)	HARDNESS BEND			方向	変度	温度	ABSORBED ENERGY (J)			INTERGRANULAR /		00 1111	1	1		
-		Rm Rp0, 2 A50		- 18	HRB		DIR.	W.	TEM.	KV			CORROSION TEST		1	1 =11	74 3	1		
		Mj	oa sc	%	1	2		L. /TR.	mm	C	1 2		3				公司	小与		
1	218112480300	595	280	67	85	85				- 22	1					1	Company	Seal	408	
2	218114452100A	589	257	71	80	80				- 9						100	1	1 1		
3	218114860400E	612	275	57	82	81										1	12 17	1	100	
4								- 30								1	1	2012 m	23	
8										1	100					1	The same of	AND PERSONS		
备注 REMARKS		L 本产品上接近15000013 得以前行可(THE PROMICTS HAVE PASSED THE ISONODI QUALITY CERTIFICATION LICENSE.) 2. 提供证明 TREATMENT SOLUTION 1050-11007C QUENCHING IN WATER 4. THE ARMONING IS FEED FOR AGGING LICENSE AND AGGING LICENSE AGG											9	质量负 QUALITY M						
注释 TR : (Transverse)欄向,L : (Longitudinal)							.: (Direct	irection) 方向,W. (Width) 電镀,TBM. (temperature) 温度, EL. :(Elongation) 断后 Strength) 抗粒弧度,A.E. :吸收能量, AVE : 平均值									五	B	5	


Inspection by spectrometer



Quality inspection

JX FILTRATION JX FILTRATION(CHINA)CO.,LTD **Quality Certificate** No.: 43870061 Automatic Scraper Filter Model JXS2-219 Name 1 unit Productio 2021-06-08 Testing Testing content Testing standard Result items Material Steel [Appearance, chemical GB/T14976-94 analysis, mechanical properties] Steel [Appearance, chemical GB1220-92 analysis, mechanical properties] Casting [Appearance, chemical GB12230-89 analysis] Pressure test Inner cylinder: 1.0MPa water GB150-1998 pressure test, hold the pressure for Geometric dimensioning of Made as per Qualified Geometric drawing dimensionin housing Connection location and size Made as per Qualified drawing Appearance Quality of sealing surface Made as per Qualified drawing Surface treatment of Housing Made as per Qualified Logo & packing Qualified Technical documents Intact Conformance to Requirements Auditor: 74354 Inspector: 12-44







Professional Pre-sale Service

- 1. Filtration method and equipment recommendation.
- 2. Free CAD or 3D drawing.
- 3. Equipment can be customized.

Complete Service During Sales

- 1. On-time delivery.
- 2. Equipment inspection by photo or video.
- 3. Secure and standard package.

After-Sale Service

- 1. Installation assistance by a phone call or video.
- 2. Free accessories for maintenance.
- 3. Engineer sent to solve the onsite problem.